Use Automatic Seed Drills Save Costly Seeds, Fertilizer & Time

An ISO 9001:2008 Certified Company Govt. Approved Subsidy











Company Profile

We Mausam Agro Pvt. Ltd. would like to introduce ourselves as a leading Manufacturer & Exporter of various range of SEED DRILL machines.

We manufacturing & exporting Seed Drill & Seed Cum Fertilizer Drill as Tractor Driven, Mini Tractor Driven, Power Tiller Driven, Animal Driven and Manually Driven.

Mausam Agro Pvt. Ltd. was started by Progressive Farmer Mr. Jinabhai Kothadiya, who is founder of Seed Drill Machines and started his career in Agricultural Equipments since 1970.

Mausam Agro Pvt. Ltd. Has achieved a great success in the field of manufacturing & exporting "SEED DRILL" Machine. Moving one step ahead in advance in Agro Engineering with dynamic leaders Mr. Jigar Javia and Mr. Bhavesh Kothadia has developed company into big industrial group.

Mausam Agro Pvt. Ltd. is situated in location of Veraval(Shapar) with factory area of 56000 Sq. ft. and 13 Km. away from Rajkot, Gujarat (India). Mausam Agro Pvt. Ltd. is an ISO 9001:2008 Certified Company and its Quality Management System is as per INTERNATIONAL STANDARDS. Company has highly trained and qualified personnels which look after Quality Assurance, Research & Development and after Sales & Services of the products and has user's friendly staff. Also "MAUSAM" is a registered brand in trademark and Company has successful TEST REPORTS of their product from NEFRMT &TI, ASSAM & T&TCFM, JUNAGADH.

www.mausamagro.com







An ISO 9001:2008 Certified Company





Ph. +91 - 2827 - 253454, 253654 Mob. +91 - 98795 76920 / 65

info@mausamagro.com

www.mausamagro.com

a wind of modern agriculture equipments

Certification





























Model	AP612
No. of Tyne	6 Tyne, (Models available in 8 & 9 Tyne also)
Row to Row Spacing	16 Inch Standard & Adjustable
Length of Main frame	90 Inch, Rigid Type
Hopper Capacity Approx in Kg.	For Seed – 40 Kg. For Fertilizer – 55 Kg.
Weight Approx in Kg.	325 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Extra Facility	Leveling Blade
Suitability of Seed for sowing	Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Paddy, Garlic,
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.

Tractor Driven Automatic Seed cum Fertilizer Drill (112263)



Model	112263
No. of Tyne	11 Tyne (Models available in 9 Tyne also)
Row to Row Spacing	7 Inch Standard & Adjustable . (In 9 Tyne 9" Standard)
Length of Main frame	85 Inch, Extension available up to 112 inch (Channel type)
Seed/Fertilizer Capacity	Seed Hopper – 55 Kg., Fertilizer Hopper – 65 Kg.
Weight Approx in Kg.	345 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Extra Facility	Leveler
Suitability of Seed for sowing	Paddy, Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Garlie
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.







Tractor Driven Automatic Seed cum Fertilizer Drill (0918MH)

Model	0918MH
No. of Tyne	9 Tyne, (Models available in 7 & 11 Tyne also)
Row to Row Spacing	9 Inch Standard & Adjustable
Length of Main frame	85 Inch, Box Type
Hopper Capacity Approx in Kg.	For Seed – 55 Kg. For Fertilizer – 65 Kg.
Weight Approx in Kg.	385 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Suitability of Seed for sowing	Paddy, Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Garlic,
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.

Tractor Driven Automatic Seed cum Fertilizer Drill (0918VDB)

Model	0918VDB
No. of Tyne	9 Tyne, (Models available in 7 & 11 Tyne also)
Row to Row Spacing	7 Inch Standard & Adjustable
Length of Main frame	85 Inch, Box Type & extention available up to 112"
Hopper Capacity Approx in Kg.	For Seed – 55 Kg. For Fertilizer – 65 Kg.
Weight Approx in Kg.	450 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Extra Facility	Leveler
Suitability of Seed for sowing	Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Paddy, Garlic,
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.

Use Automatic Seed Drills Save Costly Seeds, Fertilizer & Time






Tractor Driven Automatic Seed cum Fertilizer Drill (091863HUBLI)

Model	091863 HUBLI
No. of Tyne	9 Tyne (Models available in 11 Tyne also)
Row to Row Spacing	9 Inch Standard & Adjustable.
Length of Main frame	87 Inch.
Seed/Fertilizer Capacity	Seed Hopper – 55 Kg., Fertilizer Hopper – 65 Kg.
Weight Approx in Kg.	325 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Extra Facility	Leveling Blade and their teeth (Cutting Blade & teeth)
Suitability of Seed for sowing	Maize, Wheat, Ground-Nut, Cotton seed, Castor, Garlic, Cumin seed,
	Soya been, Sunflower, Paddy all types of Grains, Cereals &
	Pulses seeds.

Tractor Driven Automatic Seed cum Fertilizer Drill (1224DB)











Mini Tractor Driven Automatic Seed cum Fertilizer Drill (91827)

Model	91827
No. of Tyne	9 Tyne, (Models available in 5, 7 & 11 Tyne also)
Row to Row Spacing	7 Inch Standard & Adjustable
Length of Main frame	57 Inch, Extension available up to 76 inch (Channel type)
Hopper Capacity Approx in Kg.	For Seed – 25 Kg. For Fertilizer – 30 Kg.
Weight Approx in Kg.	215 Kg.
Require of Tractor H.P.	10 H.P. Onwards
Suitability of Seed for sowing	Wheat, Ground-Nut, Maize, Gram, Cotton seed, Castor, Paddy, Garlic,
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.

Mini Tractor Driven Automatic Seed cum Fertilizer Drill (MINI0510)

Model	MINI 0510
No. of Tyne	5 Tyne, (Models available in 7 Tyne also)
Row to Row Spacing	12 Inch Standard & Adjustable
Length of Main frame	57 Inch, Extension available up to 76 inch (Box type)
Hopper Capacity Approx in Kg.	For Seed – 30 Kg. For Fertilizer – 38 Kg.
Weight Approx in Kg.	200 Kg.
Require of Tractor H.P.	10 H.P. Onwards
Extra Facility	Leveler
Suitability of Seed for sowing	Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Paddy, Garlic,
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.

Use Automatic Seed Drills Save Costly Seeds, Fertilizer & Time





Tractor Driven Automatic Seed cum Fertilizer Drill (173463)

Model	173463
No of Tyne	17 Tyne (Models available in 13, 15, 19 & 21 Tyne also)
Row to Row Spacing	4 Inch Standard & Adjustable
Length of main frame	85 Inch, Extension available up to 112 inch (Channel type)
Seed/Fertilizer Capacity	Seed Hopper – 55 Kg., Fertilizer Hopper – 65 Kg.
Weight Approx in Kg.	450 Kg.
Require Tractor Capacity	35 H.P. Onwards
Extra Facility	Leveler
Suitability of Seed for sowing	Garlic, Wheat, Ground-Nut, Castor, Maize, Cumin seed, Soya been,
	Sunflower Cotton Seed, all types of Grains, Cereals & Pulses seeds.



Tractor Driven Automatic Seed Drill (171763)

Model	171763
No. of Tyne	17 Tyne (Models available in 13 ,15 ,19 , 21 Tynes also)
Row to Row Spacing	4 Inch Standard & Adjustable
Length of Main frame	85 Inch, Extension available up to 112 inch (Channel type)
Hopper Capacity Approx in Kg.	For Seed – 80 Kg. OR Fertilizer 100 Kg.
Weight Approx in Kg.	395 kg.
Require of Tractor H.P.	35 H.P. Onwards
Extra Facility	Double Shaft Automatic Model
Suitability of Seed for sowing	Garlic, Wheat, Ground-Nut, Castor, Maize, Cumin seed, Soya bee
	Sunflower Cotton Seed, all types of Grains, Cereals & Pulses seed







Tractor Driven Automatic Zero Till Seed cum Fertilizer Drill (0918)

Model	0918
No. of Tyne	9 Tyne, (Models available in 7 & 11 Tyne also)
Row to Row Spacing	9 Inch Standard & Adjustable
Length of Main frame	85 Inch, Box Type
Hopper Capacity Approx in Kg.	For Seed – 55 Kg. For Fertilizer – 65 Kg.
Weight Approx in Kg.	320 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Suitability of Seed for sowing	Paddy, Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Garlic,
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.

Tractor Driven Automatic Seed cum Fertilizer Drill (91863MH)

Model	91863MH (3+3+3)
No. of Tyne	9 Tyne, (Models available in 7 & 11 Tyne also)
Row to Row Spacing	9 Inch Standard & Adjustable
Length of Main frame	85 Inch, Box Type
Hopper Capacity Approx in Kg.	For Seed – 55 Kg. For Fertilizer – 65 Kg.
Weight Approx in Kg.	385 Kg.
Require of Tractor H.P.	35 H.P. Onwards
Suitability of Seed for sowing	Paddy, Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Garlic
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.





Power Tiller Driven Automatic Seed cum Fertilizer Drill (PT0510)

Model	PT0510
No. of Tyne	5 Tyne
Row to Row Spacing	8 Inch Standard & Adjustable
Length of Main frame	46 Inch, Box Type
Hopper Capacity Approx in Kg.	For Seed – 24 Kg. For Fertilizer – 30 Kg.
Weight Approx in Kg.	130 Kg.
Extra Facility	Leveling Blade
Suitability of Seed for sowing	Wheat, Ground-Nut, Maize, Gram, Cotton seed, Castor, Paddy, Garl
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.



Animal Driven Automatic Seed Drill (JUMBO)

Model	JUMBO
No. of Tyne	5 Tyne, (Models available in 3 & 7 Tyne also)
Row to Row Spacing	9 Inch Standard & Adjustable
Length of Main frame	48 Inch, Extension available up to 76 inch (Round Pipe type)
Hopper Capacity Approx in Kg.	For Seed – 14 Kg.
Weight Approx in Kg.	60 Kg.
Suitability of Seed for sowing	Maize, Gram, Wheat, Ground-Nut, Cotton seed, Castor, Paddy, Garlic
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.







Model	MANUALLY
No. of Tyne	1 Tyne
Hopper Capacity Approx in Kg.	For Seed – 3 to 4 Kg.
Weight Approx in Kg.	12 Kg.
Suitability of Seed for sowing	Multipurpose Seed Drill for all type of Seeds including vegetable
	seeds also.
Features	It is simple & easy to use.
	Only one man can use it.
	Totally Adjustable suitable for farmer's height.
	Can useful for small & big farm.
	It is useful for hard & soft soil.






Model	MAIZE AND COTTON PLANTER
No. of Tyne	5 Tyne, (Models available in 7 & 9 Tyne also)
Row to Row Spacing	12 Inch Standard & Adjustable
Length of Main frame	76 Inch, Extension available up to 112 Inch.
Hopper Capacity Approx in Kg.	For Seed – 3 to 4 Kg. Per Single Box
Weight Approx in Kg.	165 Kg.
Require of Tractor H.P.	35 H.P. Onwards (Mini Tractor Optional)
Suitability of Seed for sowing	Maize, Cotton seed, Gram, Wheat, Ground-Nut, Castor, Paddy, Garlic
	Cumin seed, Soya been, Sunflower, all types of Grains, Cereals &
	Pulses seeds.







With Cutting Blade





With Jeera System



With Leveler Facility





With Wheat Patli




With Marker Facility











Power Tiller Driven

Animal Driven



Animal Driven Cotton system



Power Widder Driven



With extra seed Box





Seed Rotor Set Details

- Company Provides Seven Types of Rotors in Automatic Seed Drill.
- Automatic Seed Drill is implemented with 2 Speeds by the changes of 12 and 18 teeth sprocket chain gears in the main ground wheel.
- All types of Grains, Cereals, Pulses Seeds and Fertilizer can plant by this Automatic Seed Drill.
- For Selection of rotors depends on all small and Big size of Seeds & distance between two seeds.

Rotor No.	Suitability of Rotors
1, 1/8	Garlic Seed.
2	Ground Nutt and Fertilizer.
3	Ground Nut, Gram, Corn and Fertilizers.
4, 4A, E	Niger, Pearl Milet, Mustard, Kidney bean,
	Phaseolus Mango, Millet, Pigeon Pea & Sesame.
5, A	Corn, Gram, Soyabean & Wheat.
6	Caster Seed.
7, 9, 10	Cotton Seed & Pigeon Pea.
B, C	Paddy, Corn & American Corn.
D	Sesame & Onion Seeds.
CC	Corn, Gram

रोटर सेट की माहीती

- कंम्पनीकी और से सात प्रकार के रोटर दीये जाते है।
- सभी बीज और खाध की बोनी इस सीड ड्रीलसे हो सकती है।
- सभी छोटे-बडे कद के बीज या दो बीज के बीच की दुरीके लीये
 जरूरत के मुताबीक रोटरकी पसंदगी कर सकते है।
- जमीनपे चलने वाला मेईन वीलमे १२ दांती चेईन गीयर और १८ दांती चेईन गीयरकी अदला-बदलीसे दो स्पीड मीलती है।

रोटर नंबर	माहीती
1, 1/8	लहसुन के लीये अनुकुल
2	मुंगफली और फर्टीलाईजर के लीये अनुकुल
3	मुंगफली, चना, मक्का, और फर्टीलाईजर के लीये अनुकुल
4, 4A, E	जीरा, तील, बाजरी, रायडा, मुंग, उडद, जवार और तुवर के लीये
5, A	मक्का, चना, सोयाबीन, गेहुं के लीये अनुकुल
6	अेरंडी के लीये अनुकुल
7, 9, 10	कपास, तुवर के लीये अनुकुल
B, C	धान, मक्का और अमेरीकन मक्का के लीये अनुकुल
D	तील, प्याज के बीज के लीये अनुकुल
CC	मक्का, चना





An ISO 9001:2008 **Certified Company**



www.mausamagro.com
















































































Our Presence in Exhibition - Over View









































TRACTOR OPERATED, ANIMAL OPERATED, MANUALLY OPERATED AUTOMATIC SEED DRILL















For more further details contact

Mausam Agro Pvt. Ltd.

Survey No. 192, National High way-27, Nr. Shantidham Gate, Veraval (Shapar)-360 024. Dist. Rajkot. (Gujarat) India. Ph. 02827-253454, 253654 Mob. +91-98795 76920, 98795 76965 E-mail: info@mausamagro.com Web: www.mausamagro.com